

Search Session History

BROWSE

SEARCH

IEEE XPLOR GUIDE

SUPPORT

Mon, 2 Oct 2006, 12:44:51 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

Recent Search Queries

- #1 ((((((((hybrid<in>metadata) <and>
(broadcast*<in>metadata))<or> (directory<in>metadata)
<and>(cache<in>metadata))<and>(coheren* <paragraph>
protocol<in>metadata)))<and>(directory <near/5>
protocol<in>metadata))<AND>(retry* <or>
retried<in>metadata))
- #2 (((((((hybrid<in>metadata) <and>
(broadcast*<in>metadata))<or> (directory<in>metadata)
<and>(cache<in>metadata))<and>(coheren* <paragraph>
protocol<in>metadata)))<AND>(directory <near/5>
protocol<in>metadata))
- #3 ((((((hybrid<in>metadata) <and> (broadcast*<in>metadata)
<or> (directory<in>metadata))<and>(cache<in>metadata))
<AND>(coheren* <paragraph> protocol<in>metadata))
- #4 ((((hybrid<in>metadata) <and> (broadcast*<in>metadata)
<or> (directory<in>metadata))<AND>(cache<in>metadata))
- #5 ((hybrid<in>metadata) <and> (broadcast*<in>metadata)
<or> (directory<in>metadata)
- #6 ((hybrid<in>metadata) <and> (broadcast*<in>metadata)
<or> (directory<in>metadata)
- #7 ((hybrid<in>metadata) <and> (broadcast*<in>metadata)
<or> (directory<in>metadata)
- #8 ((hybrid<in>metadata) <and> (broadcast*<in>metadata)
<or> (directory<in>metadata)
- #9 ((((protocol<in>metadata) <and> (broadcast<in>metadata)
<and> (directory<in>metadata))<AND>(conflict* <or> (race
<near/3> condition)<or> (retry* <near/5> request*)
<in>metadata))
- #10 ((((protocol<in>metadata) <and> (broadcast<in>metadata)
<and> (directory<in>metadata))<AND>(conflict* <or> (race
<near/3> condition)<or> (retry* <near/5> request*)
<in>metadata))
- #11 ((protocol<in>metadata) <and> (broadcast<in>metadata)
<and> (directory<in>metadata)
- #12 ((protocol<in>metadata) <and> (broadcast<in>metadata)
<and> (directory<in>metadata)

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|------------------|
| L1 | 81 | ((order\$3 near3 point) ((serial\$7) near3 request\$3)) with (memory adj (line block)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 20:46 |
| L2 | 61 | L1 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:43 |
| L3 | 17 | L2 and ((memory with (connect\$3 attach\$5) with (processor node) with (network interconnect switch (switch adj fabric) (hierarchical adj switch))) (((multipl\$5 several plural\$3 many) near3 node) with (attach\$5 connect\$3) with memory with network)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 20:46 |
| L4 | 14 | L3 and ((state near5 (modified) with cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 20:46 |
| L5 | 13 | L4 and ((state near5 (owned)) with cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 20:46 |
| L6 | 13 | L5 and ((state near5 dirty) with cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 20:46 |
| L7 | 13 | L6 and ((order\$3 near3 point) (serial\$8 near3 request\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:44 |

EAST Search History

| | | | | | | |
|-----|---|---|--|----|----|------------------|
| L8 | 8 | 7 and ((writ\$3 near3 back) victim\$7) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 21:04 |
| L9 | 0 | 8 and ((broadcast\$3 with (writ\$3 near3 back)) same (acknowledg\$7 ACK)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 21:06 |
| L10 | 0 | 8 and ((broadcast\$3 with (writ\$3 near3 back))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 21:06 |
| L11 | 0 | 8 and ((broadcast\$3 with (writ\$3 near5 back))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 21:07 |
| L12 | 0 | 8 and ((broadcast\$3 same (writ\$3 near5 back))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 21:07 |
| L13 | 8 | 8 and ((broadcast\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:05 |
| L14 | 0 | 8 and (((broadcast\$3)) same (acknowledg\$7 ACK)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 21:08 |
| L15 | 0 | 8 and ((broadcast\$3 near3 source)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 21:48 |

EAST Search History

| | | | | | | |
|-----|---|---|---|----|----|------------------|
| L16 | 2 | "20030217236".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:23 |
| L17 | 0 | 16 and (source near3 broadcast\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:05 |
| L18 | 0 | "(20030217236) 20040002992 20050251631)".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:24 |
| L19 | 6 | ("20030217236" "20040002992" "20050251631").pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:24 |
| L20 | 0 | 19 and (retry\$3 retried) with ((forward adj progress) (null adj directory) (directiry near3 protocol)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:29 |
| L21 | 0 | 13 and (retry\$3 retried) with ((forward adj progress) (null adj directory) (directiry near3 protocol)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:30 |
| L22 | 3 | 1 and (retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directiry near3 protocol)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:32 |
| L23 | 3 | (retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directiry near3 protocol)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:33 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|----|----|------------------|
| L24 | | 3 (retry\$3 retried) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:34 |
| L25 | | 3 (retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:35 |
| L26 | | 0 19 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with broadcast\$3 with ((forward adj progress) (null adj directory) (directory near3 protocol))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:33 |
| L27 | 26864 | 19 and (hybrid near3 protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:41 |
| L28 | | 0 19 and (hybrid near3 protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:41 |
| L29 | | 0 15 and (hybrid near3 protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:41 |
| L30 | | 10 1 and (hybrid near3 protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:42 |
| L31 | | 10 2 and (hybrid near3 protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:42 |

EAST Search History

| | | | | | | |
|-----|--------|--|---|----|----|------------------|
| L32 | 39 | cache with (hybrid near3 protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:42 |
| L33 | 30 | 32 and (((transfer\$4 near3 data) with (cache "L1" "L2") with memory) (updat\$3 near3 memory) (write-back victim\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:43 |
| L34 | 13 | 33 and ((order\$3 near3 point) (serial\$8 near3 request\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 22:44 |
| L35 | 220099 | 19 an((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:34 |
| L36 | 0 | 19 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:34 |
| L37 | 3 | 1 and ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:35 |
| L38 | 4 | ((retry\$3 retried re-attempt\$3 reattempt\$3 (try\$3 near3 again)) with (broadcast\$3 snoop\$3) with ((forward adj progress) (null adj directory) (directory near3 protocol))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:48 |
| L39 | 3 | 38 and (hybrid adj protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:42 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| L40 | 3 | 38 and (hybrid near5 protocol) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:42 |
| L41 | 4733 | (miss adj address adj file) MAF | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:49 |
| L42 | 68 | 41 same (write-back (writ\$3 near back) evict\$3 victim\$8) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:50 |
| L43 | 65 | 42 same (cache) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:51 |
| L44 | 7 | 43 same ((broadcast\$3 snoop\$3) with (request\$3 response)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:53 |
| L45 | 32 | 43 and ((broadcast\$3 snoop\$3) with (request\$3 response)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:53 |
| L46 | 8 | 43 same((broadcast\$3 snoop\$3) same (request\$3 response)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:52 |
| L47 | 1 | 46 not 44 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:52 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| L48 | 7 | 43 same (((broadcast\$3 snoop\$3) with (request\$3 response)) same (node processor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:54 |
| L49 | 27 | 43 and (((broadcast\$3 snoop\$3) with (request\$3 response)) same (node processor)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:59 |
| L50 | 19 | 49 not 46 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:55 |
| L51 | 8 | 49 not 50 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:59 |
| L52 | 5 | 45 not 49 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/10/01 23:59 |